



**PRINTER / MACHINE
SUPPLIES AND SERVICES**

OUR BRANDS



GI 3200

graphcut

FIREJET

FINE CUT

SPORTTECH
WRAPPING FILM S-7300

RELI TACK
SELF ADHESIVE VINYL

RAMZ

Printer / Machine

Supplies And Services

1	A1 UV Flatbed DTF Printer
2	Ali3200 UV Flatbed DTF Printer
3	2 UV Flatbed DTF Printer
4	A3 UV Flatbed DTF Printer
5	30CM Roll to Roll UV DTF Printer
6	30CM Multifunctional UV DTF Printer
7	4838 DTG Printer
8	30CM DTF Printing Machine
9	60CM DTF Printing Machine
10	1800 Sublimation Printer
11	1800B ECO Solvent Printer
12	Laminating Machine
13	30W/50W Fiber Laser Marking Machine
14	80W CO2 Laser Cutting & Engraving Machine
15	ZK1400 Cutting Plotter / ZK760 Cutting Plotter
16	AnyCut Cutting Machine DW370
17	Embroidery Machine
18	Textile Heat Transfer Machine

**MACHINE SPARE PARTS
& TECHNICAL SERVICE**

A1 UV FLATBED DTF PRINTER



HOT LAMINATOR
the B Film to the A Film



PRINT SIZE
600X900mm



C,M,Y,K,W,V,Vg
7 COLOR



7 PRINT
FUNCTION



EPSON
HEAD



Model:	RAMZ A1 UV DTF Sticker Printer
Print Head:	Epson Dual Head
Print Media:	Phone Case, Acrylic, Pen, Helmet, Ceramic, Wood, Metal, Glass...
Max Print Size:	600mm**900mm
Printing Height:	Max 18cm
Ink Type And Channel:	UV Ink / CMYK W W + 6 Varnish
Printing Resolution /Format:	2880DPI / TIF,JPG,PDF,EPS,PS,PNG...
Voltage:	110-220V 50-60HZ 300W
Packing Size/Gross Weight:	137*157*91cm, 1.95cbm / 175Kg/196Kg
Normal Working Environment:	Temperature 0°C~30°C Humidity 40%-70%

FUNCTION 1 Direct Print to Flatbed Material

FUNCTION 3 Print UV DTF Film Sticker

FUNCTION 2 Direct Print to Cylinder Bottle

FUNCTION 4 Gold Foil UV Print

FUNCTION 5 Visual Positioning With Camera (Optional)

A1 i3 200UV FLATBED DTF PRINTER



PRINT SIZE
600X900mm

C,M,Y,K,W,V,Vg
7 COLOR

7 PRINT
FUNCTION

EPSON
HEAD

Model:	RAMZ A1 UV DTF Sticker Printer
Print Head:	3 Epson i3200 Heads
Print Media:	Phone Case, Acrylic, Pen, Helmet, Ceramic, Wood, Metal, Glass...
Max Print Size:	600mm**900mm
Printing Height:	Max 18cm
Ink Type And Channel:	UV Ink / CMYK W W + 6 Varnish
Printing Resolution /Format:	2880DPI / TIF,JPG,PDF,EPS,PS,PNG...
Voltage:	110-220V 50-60HZ 300W
Packing Size/Gross Weight:	137*157*91cm, 1.95cbm / 175Kg/196Kg
Normal Working Environment:	Temperature 0°C~30°C Humidity 40%-70%

FUNCTION 1 Direct Print to Flatbed Material

FUNCTION 3 Print UV DTF Film Sticker

FUNCTION 2 Direct Print to Cylinder Bottle

FUNCTION 4 Gold Foil UV Print

FUNCTION 5 Visual Positioning With Camera (Optional)

A2 UV FLATBED DTF PRINTER



HOT LAMINATOR

Attach the B Film to the A Film



PRINT SIZE
400X600mm

C,M,Y,K,W,V,Vg
7 COLOR

5 PRINT
FUNCTION

EPSON
HEAD

Model:	RAMZ A2 UV DTF Sticker Printer
Print Head:	Epson Dual Head
Print Media:	Phone Case, Acrylic, Pen, Helmet, Ceramic, Wood, Metal, Glass...
Max Print Size:	400mm**600mm
Printing Height:	Max 20cm
Ink Type And Channel:	UV Ink / CMYK W W + 6 Varnish
Printing Resolution /Format:	1440DPI / TIF,JPG,PDF,EPS,PS,PNG...
Voltage:	110-220V 50-60HZ 300W
Packing Size/Gross Weight:	106*98*80cm, 0.83cbm / 98Kg/120Kg
Normal Working Environment:	Temperature 0°C~30°C Humidity 40%-70%

FUNCTION 2 Direct Print to Cylinder Bottle

FUNCTION 3 Print UV DTF Film Sticker

FUNCTION 4 Gold Foil UV Print

FUNCTION 5 Visual Positioning With Camera (Optional)

A3 UV FLATBED DTF PRINTER



HOT LAMINATOR

Attach the B Film to the A Film



PRINT SIZE
300X500mm

C,M,Y,K,W,V,Vg
7 COLOR

5 PRINT
FUNCTION

EPSON
HEAD

Model:	RAMZ A3 UV DTF Sticker Printer
Print Head:	Epson Dual Head
Print Media:	Phone Case, Acrylic, Pen, Helmet, Ceramic, Wood, Metal, Glass...
Max Print Size:	300mm**500mm
Printing Height:	Max 15cm
Ink Type And Channel:	UV Ink / CMYK W W + 6 Varnish
Printing Resolution /Format:	1440DPI / TIF,JPG,PDF,EPS,PS,PNG...
Voltage:	110-220V 50-60HZ 300W
Packing Size/Gross Weight:	96*81*71cm, 0.55cbm / 73Kg/114Kg
Normal Working Environment:	Temperature 0°C~30°C Humidity 40%-70%

FUNCTION 1 Direct Print to Flatbed Material

FUNCTION 3 Print UV DTF Film Sticker

FUNCTION 2 Direct Print to Cylinder Bottle

FUNCTION 4 Gold Foil UV Print

FUNCTION 5 Visual Positioning With Camera (Optional)

30CM ROLL TO ROLL UV DTF PRINTER



Model:	RAMZ 30cm Roll to Roll UV DTF Printer
Print Media:	UV DTF PET Transfer Film
Print Head:	Epson Dual Head
Max Print Size:	300mm Width
Printing Speed:	2sqm/hour
Ink Channel:	CMYK W W + 6 Varnish
Printing Resolution:	2880DPI
Photo Format/Type:	TIF,JPG,PDF,EPS,PS,PNG...
Voltage:	110-220V 50-60HZ 500W
Packing Size:	116*96*84cm , 0.94cbm
Net/Gross Weight:	86Kg/127Kg

30CM MULTIFUNCTIONAL ALL COLOR UV DTF PRINTER



Gold Color



Silver Color



Normal Color

**All Color Print
Gold Foil
Silver Foil
Normal Color**

**4 Printhead
Epson TX800
1440dpi**

**8 Print Ink
CMYK,White
Varnish,Glue
Gold Varnish**

**High Speed
2 sqm/h,
6 PASS**

Model:	Multifunctional /All Color UV DTF Printer
Printhead and Quantity	4 EPSON TX800
Printing resolution	1440DPI
Printing speed	6PASS:2m ² /h
Printing width	300mm
Printing medium	Release paper,AB film,Gold film,silver film...
Packing Size	131*111*99cm,1.43cbm
Ink	UV ink
Color	CMYK+W+Glue+Varnish+Golden Varnish
RIP Software	Riin
Operating system	Windows7 or above
Picture format	Tiff,Jpeg,Bitmap,Eps,Pdf,PNG
Operation Environments	Temperature:25°C-30°C, humidity:50%RH-75%RH
Power	220V,50-60HZ,1000W,current 3.5A
Interface	Gigabit network card

4838 DTG PRINTER



Machine Specification

Model:	RAMZ- DTG T-shirt Printer
Print head:	2 pcs Epson I1600 Head
Print Media:	Direct To All Color Cotton Garment
Net/Gross weight:	88.5Kg/130.5Kg
Machine Size:	94*60*65.5cm
Packing Size:	114*102*76cm,0.88cbm
Max print size:	38*48cm
Printing cost:	0.1\$/Light Color T-shirt / 0.2\$/Dark Color T-shirt
Printing speed:	6 PASS White-T 2 Minutes Dark-T 4 Minutes
Ink type:	Textile ink
Ink channel:	CMYK W
Voltage:	≈300W 50HZ/60HZ 220V 110V
Photo format/type:	TIF,JPG,PDF,PNG....
Optional accessories:	Heat press machine ; Pretreatment Liquid Sparying Machine
Normal working environment:	Temperature 10°C~35°C Humidity 20~80 RH

30CM DTF PRINTING MACHINE



PRINT WIDTH
0-300MM

CMYK WW
6 COLOR

PRINT COST
0.2\$/T-SHIRT

EPSON
HEAD

Model:	30cm DTF PRINTING MACHINE
Print head:	Epson Dual Head
Print media:	T-shirt,Mask,Sleeve,Cuffs,Socks,Cap,Pants,Canvas shoes...
Net/Gross weight:	Printer:75Kg/100Kg Shaking Powder Machine:35Kg/50Kg
Packing Size:	Printer:96*66*62 0.4cbm Shaking Powder Machine:78*61*70,0.34cbm
Max print size:	30cm Width
Ink type:	DTF Textile Ink
Photo format/type:	TIF,JPG,PDF,PNG....
Voltage:	220V/1KW 50HZ/60HZ
Ink color:	CMYK White
Printing cost:	0.2\$/A3 Size Pattern
Printing speed:	4PASS/5 m ² 6PASS/3 m ² 8PASS/2 m ²
Production capacity:	16 m ² /8 Working Hours
Normal working environment:	Temperature 20°C~28°C Humidity 40%~70%

60CM DTF PRINTING MACHINE



60CM DTF PRINTER I3200



60 CM SHAKE POWDER DRYING MACHINE



INDUSTRIAL 2PCS - 4PCS I3200 PRINTHEAD

Machine Specification

Product model	650WX
Print Head	i3200
Head Qty	2
Print Speed	4PASS 20m ² /h 6PASS 12m ² /h
Print Media	Pet film
Inks Type	Textile pigment ink
Transmission Interface	Gigabit Network Port transmission
The Maximum Print Width	650mm
Power Voltage	220V/110V
Nozzle Height	Adjustable height 0-12mm
Ink supply system	1.5L Ink Bottle with Alarm function+Secondary continuous ink supply system+White ink agitate and circulation
Heating System	Shake powder machine built-in infrared drying
Feeding system	15R High speed single head feeding and take up system
RIP software	Maintop6.1, PP, PF
Document Format	PDF, JPEG, TIFF
Machine Gross weight	140KG
Shake powder machine Gross weight	260KG
Machine size	1560*750*1500mm
Machine packing size	1680*780*750mm
Shake powder machine size	1955*1100*1240mm
Shake powder machine packing size	1830*1230*1420mm

Product Description

1. The Shake powder machine adopts automatic induction collecting function, saving time, saving cost:
2. Simple and easy to use, printing + powder + drying:
3. Waste powder recycling technology to avoid waste and save costs:
4. White ink agitate and circulation, no precipitation, to ensure the smoothness of printing:
5. Personalized customization, white and color print at the same time, suitable for various colors of clothing personalized printing, enhance market competitiveness.

Detail display



Intelligent Temperature Controlm Seydsitae moutput platf



Intelligent air drying



1.5L ink bottle (white ink circul

1800 SUBLIMATION MACHINE



TECHNICAL PARAMETERS

Model	FD5194E
Printhead	EPSON I3200-A1
Quantity	4
Print Speed	2pass 170m ² /h 3pass 110m ² /h 4pass 85m ² /h *Tested on linear printing without feather function
Ink Type	Type: Sublimation Ink, Water-based Ink(Dye or Pigment), Color: CMYK
Print Width	1900mm
Print Media	Transfer Paper(from 40gsm to 100gsm)
Material Transmit	Inflatable Roller Auto Feeding and Take-up Media System
Dryer	Extra Intelligent Fan Dryer
Moisture Mode	Full Seal Auto Moisture and Cleaning
Rip Software	Maintop 6.0(standard equipped), Photoprint 19, Onyx 19, neoStampa
Image Format	JPG, TIFF, BMP, PDF, etc.
Computer System	Win7 64bits, Win8 64bits, Win10 64bits
Transmit Port	Giga-bit Ethernet Port
Computer Configuration	Hard Disk: 500G or more, GPU: ATI Mobility Memory 4G Random Access Memory: 8G CPU: Intel 4 i5/i7 processor or above
Working Environment	Temp.: 18°C-30°C, Humidity: 35%-65%
Power	210-230V, 50/60HZ, 16A Machine: 1000W Dryer: Max 5500W
Machine Dimension	3070*1550*962mm
Packing Size	3400*880*1090mm Inflatable Roller Package: 2780*1030*1060mm

FUNCTIONS AND FEATURES

ORIGINAL EPSON I3200-A1 PRINthead

There are 3200 nozzles with 3200DPI resolution in EPSON I3200-A1 printhead, and VSDT technology, which improves printing resolution and color revivification degree. And inner ink column, easy and convenient to use, supporting 9 gray grade printing in maximum.



LEADSHINE BRUSHLESS DC MOTOR

High precision driver linear encoder, higher resolution, fewer errors in length, more stable running.



ANTI COLLISION SYSTEM IN CARRIAGE

It is easy and convenient to adjust the printhead height according to different media. And anti collision system installed on both sides of carriage, which automatic detect any force on carriage way to protect the printhead inside.



LIFTABLE HEAD MAINTENANCE STATION

Advanced head clean and moisture unit, easy to operate and maintenance. Auto or Manual mode can be selected.



BULK TANK AND SUB-TANK INK SUPPLY SYSTEM

Bulk tank and sub-tank ink supply system which makes sure constant ink supply and guarantee output quality. Ink starving alarm is equipped to remind operator to refill ink timely.



INTELLIGENT TAKE UP UNIT WITH INFLATABLE ROLLER

Support max 1000m media loading, which can reduce the frequency of media loading. There is swing shaft with sensor bar which can provide constant tension during media taking up.



Note: The triple-head machine of this device is optional.

IMPORTED THK MUTE GUIDE RAIL

Japanese THK mute guide rail, moving steadily, longer working life, and reducing the resistance and noise of carriage moving during the high speed printing.



IMPORTED FLUORORUBBER PINCH ROLLER

Imported fluororubber pinch roller, preventing statics which may result in ink misting during printing. Specially designed pinch roller, which can be lifted up independently to eliminate wrinkle during printing.



1800B ECO SOLVENT PRINTER



PRINT SIZE
1800MM

PRINT SPEED
15sqm/4 pass

1440 DPI

EPSON
i3200

Model:	RAMZ 1800B Printer
Print Head:	1 or 2 Pcs Epson i3200
Water Based:	PP,Backlit Film,Photo Paper,Movable Self-adhesive Vinyl,Pictorial
Eco-solvent:	Self-adhesive Vinyl,Flex,One Way Vision,Coated Banner,Flag Cloth
Sublimation:	Sublimation Paper,Pure Cotton
Special:	Wallpaper,Canvas,Chinese Art Paper,Mesh
Net/Gross weight:	160Kg/190Kg
Packing Size:	287*73*65cm , 1.36cbm
Max Printing Width:	1800mm Width
Ink Type:	Eco Solvent Ink / Water Based Ink / Sublimation Ink etc.
Photo Format/Type:	TIF,JPG,PDF,PNG....
Voltage:	AC220/110V 50/60HZ 700W
Ink Color:	CMYK 4 Colors/CMYK Lm Lc 6 Colors
Printing Speed:	4Pass:15m ² /h 6Pass:12m ² /h 8Pass:9m ² /h
Normal Working Environment:	Temperature 15°C~30°C Humidity 40%~60% RH
Medium Transmission:	Auto Media Take-up System
Operation System:	Windows
RIP Software:	Maintop/Photo Print

LAMINATING MACHINE



Machine Specification

Model	YH-1680A
Type	Automatic
Max Laminating Width	1520mm
Laminating Speed	0 - 10m / m * in
Operating Temperature	0 - 120 deg * C
Warm-up Time	0-10Min
Diameter Of Paper Tube	3 inches
Scope Of Suitable Film Thickness	10-250 um
Method Of Pressure Adjustment	Pneumatic
Power	60W
Heating Power	1500W
Packing Size	198^ * 63^ * 68cm (L^ * W^ * H)
Weight	210KGS

30 W/50W FIBER LASER MARKING MACHINE



Machine Specification

Laser type:	Fiber
Model:	F-20Z
Certifications:	CE, ISO, OTHER
Power:	30W / 50W
Applicable Materials:	Platinum, Tungsten, Titanium, Carbide Nickel, Carbon Steel, Aluminum, Stainless Steel, Brass, Copper, Gold, Silver, metals, Nylon, Light button, ABS, PVC, PES, etc.
Work Precision:	±0.01mm
Support Format:	PLT, DST, AI, DXF, BMP, JPG, CAD, CDR, DWG, PCX
Cooling Way:	AIR COOLING
Work Area (mm):	150x150 / 200x200 / (Customized)
Min Line Width:	0.017mm
Min Character:	0.15mmx0.15mm
Laser Repetition Frequency:	20KHz-80KHz(adjustable)
Power Demand:	AC220V/50HZ/2A
Marking Depth:	0.01-1.0mm(subject to material)

80W CO2 LASER CUTTING & ENGRAVING MACHINE



Model:	FZC-9060
Worktable:	Honeycomb/Aluminum knife
Engraving Area:	600*900mm
Laser Power:	60W/80W/100W/130W/150W etc.
Applicable Materials:	Natural wood,Acrylic,Glass(Engrave),Double color plate,Bamboo, MDF,Cloth,Leather,Marble(Engrave),Matte boards,Stone(Engrave), Paper,Mylar,Press board,Rubber,Plywood,Fiberglass,Plastic, Ceramic(Engrave),Coated Metal(Engrave),Etc..
Engraving Speed:	500mm/s Max
Cutting Speed:	60mm/s
Cutting Depth(Acrylic):	0-15mm(acrylic)
Up and Down Work Table:	up and down 300mm adjustable
Minimum Shaping Character:	up and down 300mm adjustable
Power Supply:	220V (or 110V) +/- 10% 50HZ
Resetting Positioning:	Accuracy less than or equal to 0.01mm
Water Protecting:	Yes
Operating Temperature:	10-35°C
Operating Humidity:	5-95°C
Graphic Format Supported:	PLT/DXF/BMP/JPG/GIF/PNG/TIF
Operation System:	Windows XP/Vista/win7/win8/win10
Software:	Ruida rdworksv8
Water Cooling:	Yes
Laser Tube:	Sealed Co2 glass laser tube
Packing Size:	159*127*120cm, N.W:300Kg/G.W:420Kg

ZK1400 CUTTING PLOTTER



Machine Specification

Cutting Width	1250mm
Cutter Pressure	2000g
Cutting Speed	1200mm/s
Repeat Cutting	0.082mm
Voltage	100v-240v(adaptive)
Support Software	CDR/AI/PS/Contour software /signmaster(optional)
Function	Auto Contour Cutting Camera
Application	Graphic, Advertising, Printing Industry
Mainboard	ARM smart dual-core chip
Motor	Servo motor
Paper Feed Width	1400mm
Cutting Material	Vinly film, Crystal leather, Stickers, Cardboard, PP, PVC
Cutting Tools	Rowland
Control Panel	5.0inch LCD touch screen

ZK760 CUTTING PLOTTER

Machine Specification

Cutting Width	640mm
Cutter Pressure	1000g
Cutting Speed	700mm/s
Repeat Cutting	0.082mm
Voltage	100v-240v(adaptive)
Support Software	CDR/AI/PS/Contour software /signmaster(optional)
Function	Full Cut, Half Cut, Dotted Cut,
Application	Graphic, Advertising, Printing Industry
Mainboard	ARM smart dual-core chip
Auto Contour Cut	Camera (Automatically Contour Cutting)
Paper Feed Width	760mm
Cutting Material	Vinly film, Crystal Stickers, Coated Paper, PP, PVC,PET
Cutting Tools	Rowland
Control Panel	5.0inch LCD touch screen



ANYCUT CUTTING MACHINE



Machine Specification

Max Media Width:	370mm
Max Cutting Width:	340mm
Auto Contour Cut:	Camera (automatically contour cutting)
Control Panel:	4.3in touch screen
Motor:	High Speed Servo Motor
Positioning Mode:	Qr Code/Dot/Right Angle
Number Of Heads:	2
Blade Type:	Rowland Blade
Packing Size:	890mm*580mm*570mm
Machine Size:	768mm*455mm*336mm
Net Weight:	63kgs/47kgs
Cutting Accuracy:	±0.01mm
Repeatability:	0.082mm
Max Material Thickness:	450gsm
Max Force:	1600g
Connect Or Interface:	USB Cable / Udisk / Web Cable / Wi-Fi
Power:	150W
Working Environment:	5°C-35°C
Power Supply:	100v-240v (adaptive)
Suitable Cutting Material:	Self-Adhesive Sticker/Coated Paper/PVC
Supported Software:	CDR/AI/PS/Contour Software/Signmaster (optional)
Memory:	1GB
Supported System:	All Versions Of Windows

EMBROIDERY MACHINE



Machine Specification

Main Parameter:

Model	FS0902/ FS1202/ FS1502
Head#	2
Needle#	9/12/15
Monitor	10"Lcd display with 16 languages
Operating Language	Chinese, English, French, Spanish, Portuguese, Turkish, German, Dutch, Thai, Arabic, Romania, Italian, Vietnamese, Hebrew, Polish,
Direct photo digitizing and embroidery	Yes(BMP format)
Embroidery area	400*500mm
Speed	Max 1000SPM
Weight	335KG
Packing Size	1440*1040*1040mm

HEAT TRANSFER MACHINES

**PORTABLE HEAT PRESS
23 X 23 CM**



**5 HEAD MUG AND
HEAT PRESS MACHINE**



**FLAT HEAT PRESS MACHINE
40 X 60 CM**



**FLAT HEAT PRESS MACHINE
40 X 50 CM**



**DUAL STATION CAP
HEAT PRESS MACHINE**



CAP HEAT PRESS MACHINE



**OIL HEATING ROLL TO ROLL
ROLLER HEAT PRESS MACHINE**



**SEMI AUTOMATIC DOUBLE STATION
PNEUMATIC HEAT TRANSFER MACHINE**



MACHINE SPARE PARTS

RELIANCE (FSE) PROVIDES TECHNICAL SERVICES

DTF MACHINE / SUBLIMATION MACHINE

ECO-SOLVENT MACHINE / PLOTTER MACHINE

HEAT PRESS MACHINE AND MANY MORE.



**DX5/DX7 to XP600 Converter board
whole set kit including main board
motor cable conversion XP600 kits
double heads print board**



**Pet film roll holder software cd and
usb dongle ink filter**



**Printer
DX5/4720/13200
Head Capping
Station**



**EPSON
13200-A1
PRINthead**



**XP600
PRINthead
BOARD**



**Blades
Cutter Cutting
Plotter**



**Cutting
Blade
Plotter Holder**

UV DTF PRINTING MATERIALS




**UV INK (UV DTF) C/M/Y/K/W
(UV DTF) GL/GLO**




**UV DTF PRINTABLE 30CM ROLL FILM A &
UV DTF LAMINATION 30CM ROLL FILM B**



**UV DTF TAKE IN FILM A,
UV DTF TAKE OUT FILM B, UV
DTF LAMINATION FILM B**



**UVDTF A3 PRINTABLE FILM A+
30CM LAMINATION FILM B**



**UV DTF HOT STAMPING
30CM FOIL ROLL**



CLEANING SOLUTION

TEXTILE DTF PRINTING MATERIALS



**DTF TEXTILE INK
C/M/Y/K/W**



DTF CLEANING SOLUTION



**DTF HEAT TRANSFER FILM
SHEET SIZE : A4 / A3**



**DTF HOT MELT POWDER
WHITE / BLACK**



**DTF HEAT TRANSFER FILM
ROLL SIZE : 30CM / 60CM**



**TEFLON HEAT PROOF
PROTECTION SHEET**

PVC HEAT TRANSFER VINYL



YELLOW



ORANGE



WHITE



BLACK



GOLD



SILVER



RED



REFLECTOR



PINK



FUSHIA



SKY BLUE



ROYAL BLUE



NAVY BLUE



P. GREEN



GREEN



HOLOGRAPHIC



GOLD METALLIC



GLOW
IN THE DARK

SUBLIMATION PRINTING MATERIALS



DYE SUBLIMATION TEXTILE
INK C/M/Y/K



SUBLIMATION PAPER
Size:0.92/1.11 /1.62m
GSM:38/65/70/ 80/90/100



SUBLIMATION PAPER
SHEET SIZE: A4/ A3

PU PRINTING MATERIALS



PU PRINTABLE
HEAT TRANSFER VINYL



PET APPLICATION FILM

LARGE FORMAT DISPLAY PRODUCTS




ROLL-UP STAND



PROMOTIONAL TABLE



POP-UP STAND



PLASTIC CORRUGATED SHEET



CAST ACRYLIC SHEETS




FOREX SHEET & FOAM BOARD

LARGE FORMAT MATERIALS



**EJET OUTDOOR MATTE VINYL
ECO SOLVENT WHITE BACK STICKER**




**OLFA OUTDOOR MATTE VINYL
ECO SOLVENT WHITE BACK STICKER**



**RELITACK MATTE VINYL
ECO SOLVENT GREY BACK STICKER**



**RELITACK ECO SOLVENT
DURATRANS FILM**



**RELITACK (PRINTABLE)
ONE WAY VISION STICKER**



**RELITACK ROLL UP MEDIA
P.P LAMINATED COMPOSITE FILM**



**RELITACK FRONT-LIT MATTE
BANNER WHITE 40GSM**



**RELITACK FRONT-LIT MATTE
BANNER BLACK BACK 510GSM**



**RELITACK OUTDOOR SOLVENT
POLY-COTTON CANVAS**

RELITACK ECO-SOLVENT PRINTABLE MEDIA

OUTDOOR MEDIA

- OUTDOOR CAR WRAPPING VINYL
- ECO SOLVENT GRAY BACK VINYL
- ECO SOLVENT WHITE BACK VINYL
- ECO SOLVENT ONE WAY VISION VINYL
- ECO SOLVENT TRANSFER CLEAR VINYL
- ECO SOLVENT DURATRANS PET FILM
- OUTDOOR E-SOLVENT COTTON CANVAS
- PP ROLL UP MEDIA

OUTDOOR BANNER

- ECO SOLVENT MATTE FRONTLET BANNER
- ECO SOLVENT BACKLET FLEX BANNER

92/107/127 / 137/152 / 225 / 250/320 cm

LARGE FORMAT MAGNETIC / IRON COATED



PVC Magnetic / Iron Coated PP Film



- **PVC PRINTEBALE MAGNETIC SHEET**
0.55 mm / 0.7 mm
- **MAGNET WITH ADHESIVE SHEET**
- **IRON COATED PRINTABLE FILM**
- **WHITE BOARD SHEET WITH ADHESIVE**
61cm/107cm/127cm/137cm

APPLICATION FILM AND DOUBLE SIDED TAPES



PAPER APPLICATION



PVC FILM



RED DOUBLE SIDED TAPE



FOAM DOUBLE SIDED TAPE

RELITACK SPECIAL ITEMS

- **Rainbow Adhesive Film ReliTack**
- **Colored Matte Vinyl**

Red | White | Black | Yellow | Blue |
MetallicMirrorGOLD & Silver

- **Reflective Sheeting**
Honey Comb/ Plain Vinyl

Red | White | Black | Green | Yellow

- **Frosted Window Graphics**
Transparant Film / milky film/pearl film



HONEY COMB REFLECTIVE VINYL



COLORED MATTE VINYL



REFLECTIVE VINYL



RAINBOW SELF ADHESIVE FILM



FROSTED WINDOW GRAPHICS VINYL

Our Vision

We strive for customer loyalty and satisfaction which is earned by exceeding the expectations of our customers. We have inspiring people who are committed to the pursuit of excellence and we build relationships based on trust, honesty and integrity.

Our Mission

To provide innovative and effective integrated brand marketing and public relations solutions which help our clients grow their businesses and realize their marketing goals.

Follow us on Social Media



@inkjetglobal



@inkjetglobal



@inkjetglobal



@inkjetglobal



NAIF ROAD DEIRA DUBAI

Shop No. 90, Al Nakheel Centre,
Deira, Dubai
Mob: +971 52 147 6397



HEADOFFICE

Mob: +971 50 421 7267



INDUSTRIAL AREA AJMAN

Warehouse No. 04, New
Industrial Area, Ajman
Mob: +971 54 410 1706

Tel: +971 52 1786 214

Email: Inkjet.reliance@gmail.com

WWW.INKJETGLOBAL.COM